

MOTIP Leak Detector

Ord.-no.: 090406

Technical Information



Easily find leaks in gas pipes with MOTIP Leak Detector. Leak detector is non-flammable and non-corrosive. Leak detector can be removed with water and is environmentally-friendly. Leak detector is slightly foaming and slightly basic. MOTIP Leak Detector is DVGW-certified, number NG/5170BR0105.

Quality & properties

- Can be removed with water
- Environment-friendly
- High yield
- DVGW certified, number NG/5170BR0105
- Slightly foaming and slightly basic
- Non-corrosive
- Non-flammable

Physical & chemical data

- Base: Tenside solution
- Colourname: no colour
- Surfaces: Compressors, Gas pipes, Air pipes, Tyres
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Spray rate: 2,8
- Vapour pressure: 8500/20 bar
- pH-Value: 7,1
- Flash point: >100 °C
- Relative density: 1.02 g/ml
- Storage stability: 10 y
- Content: 400 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- Store frost-free.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Apply leak detector to the suspected zone in order to trace the leakage.
- Bubbles will appear at the place of the leakage.
- Superfluous spray can be removed with water.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of June 10, 2022 – This release replaces all eventually earlier issued versions.