

MOTIP Cold Degreaser

Ord.-no.: 090501

Technical Information



Remove oil, paint, wax, undercoating and tar from car engine parts with MOTIP Cold Degreaser. Also suitable for machines, sheet metal, bridges and tools. It is an emulsifying cleaner to remove a-polar preservatives from treated and untreated surfaces of metal. Cold degreaser has high dissolving properties and leaves no residue. MOTIP Cold Degreaser can be rinsed with water (emulsifying) and is non-corrosive.

Quality & properties

- Removes a-polar preservatives (oil, grease, wax, undercoating and tar)
- Leaves no residue
- Emulsifying (can be rinsed with water)
- High dissolving properties
- Non-corrosive

Physical & chemical data

- Base: Aliphatic hydrocarbons with emulsifier
- Colourname: no colour
- Smell: Characteristic
- Surfaces: Engine parts, Machinery, Sheet metal work, Ramps, Tools
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Spray rate: 2,2
- Vapour pressure: 3500/20 bar
- Relative density: 0.788 g/ml
- Storage stability: 10 y
- Content: 500 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The aerosol should have room temperature.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Spray the surface to be cleaned and allow to take effect. Rinse out the dissolved contamination with water.
- The rinsing water should be regarded as chemical waste.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of June 10, 2022 – This release replaces all eventually earlier issued versions.