

MOTIP Super Lubricant

Ord.-no.: 000293, 000273

Technical Information



Lubricate moving parts of your bike such as brake and gear levers and the lock with MOTIP Super Lubricant. The spray ensures a well-maintained bike. Super Lubricant is a low-viscosity lubricant to treat all non-bearing, moving parts of the bike, with the exception of chains. Super Lubricant is extremely suitable for all carbon, aluminium, steel and plastic parts, both treated and untreated. Super Lubricant has an excellent lubricating effect, prevents wear and repels dirt.

Quality & properties

- Low friction factor for minimal resistance
- Excellent lubricating properties
- Contains PTFE
- Prevents wear
- Reduces the adhesion of dirt
- Resistant to weather influences
- Water-repellent
- Directed jetspray
- 360° valve

Physical & chemical data

- Base: Synthetic oil with PTFE
- Colourname: transparent
- Smell: Characteristic
- Surfaces: Derailleur, Brake cable, Gear cable, Gear levers and shifters, Brake levers, Lock (Bike)
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 3500/20 bar
- Flash point: n.a. °C
- Relative density: 0.91 g/ml
- Storage stability: 10 y
- Content:
 - ◊ 200 ML
 - ◊ 400 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The aerosol should have room temperature
- Best processing temperature 5 to 30°C
- Before use, shake the aerosol
- The surface should be clean and dry. Apply super lubricant in a thin layer

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of May 12, 2022 – This release replaces all eventually earlier issued versions.